

Ironer

300mm Roller Diameter
Insertion width 1600 and 2000mm
Refer to Page 3 for Model Numbers

Table of Contents

Title	Page
Parts Ordering Information.....	2
Serial Plate Location	2
Model Identification	3
Assembly Drawings	6

© Copyright 2020, Alliance Laundry Systems LLC

All rights reserved. No part of the contents of this book may be reproduced or transmitted in any form or by any means without the expressed written consent of the publisher.

Parts Ordering Information

If literature or replacement parts are required, contact the source from whom the machine was purchased or contact Alliance Laundry Systems at (920) 748-3950 for the name and address of the nearest authorized parts distributor.

For technical assistance, call either of the numbers listed below:

(920) 748-3121 Ripon, Wisconsin

+32 56 41 20 54 Wevelgem, Belgium


Serial Plate Location

When calling or writing about your product, be sure to mention model and serial numbers. Model and serial numbers are located on serial plate(s).

Model Identification

Information in this manual is applicable to these models:


I30-160	RIC316MN0FLU	RIC316MN0V5S	RIC320MN0V3P
I30-160AV	RIC316MN0FMI	RIC316MN0V5U	RIC320MN0V3S
I30-200	RIC316MN0FML	RIC316MN0VLI	RIC320MN0V3U
I30-200AV	RIC316MN0FMN	RIC316MN0VLL	RIC320MN0V5I
NRI16035ME	RIC316MN0FMP	RIC316MN0VLN	RIC320MN0V5L
NRI20030ME	RIC316MN0FMS	RIC316MN0VLP	RIC320MN0V5N
RIC316MN0F2I	RIC316MN0FMU	RIC316MN0VLS	RIC320MN0V5P
RIC316MN0F2L	RIC316MN0FRI	RIC316MN0VLU	RIC320MN0V5S
RIC316MN0F2N	RIC316MN0FRL	RIC316MN0VMI	RIC320MN0V5U
RIC316MN0F2P	RIC316MN0FRN	RIC316MN0VML	RIC320MN0VLI
RIC316MN0F2S	RIC316MN0FRP	RIC316MN0VMN	RIC320MN0VLL
RIC316MN0F2U	RIC316MN0FRS	RIC316MN0VMP	RIC320MN0VLN
RIC316MN0F3I	RIC316MN0FRU	RIC316MN0VMS	RIC320MN0VLP
RIC316MN0F3L	RIC316MN0V2I	RIC316MN0VMU	RIC320MN0VLS
RIC316MN0F3N	RIC316MN0V2L	RIC316MN0VRI	RIC320MN0VLU
RIC316MN0F3P	RIC316MN0V2N	RIC316MN0VRL	RIC320MN0VMI
RIC316MN0F3S	RIC316MN0V2P	RIC316MN0VRN	RIC320MN0VML
RIC316MN0F3U	RIC316MN0V2S	RIC316MN0VRP	RIC320MN0VMN
RIC316MN0F5I	RIC316MN0V2U	RIC316MN0VRS	RIC320MN0VMP
RIC316MN0F5L	RIC316MN0V3I	RIC316MN0VRU	RIC320MN0VMS
RIC316MN0F5N	RIC316MN0V3L	RIC320MN0V2I	RIC320MN0VMU
RIC316MN0F5P	RIC316MN0V3N	RIC320MN0V2L	RIC320MN0VRI
RIC316MN0F5S	RIC316MN0V3P	RIC320MN0V2N	RIC320MN0VRL
RIC316MN0F5U	RIC316MN0V3S	RIC320MN0V2P	RIC320MN0VRN
RIC316MN0FLI	RIC316MN0V3U	RIC320MN0V2S	RIC320MN0VRP
RIC316MN0FLL	RIC316MN0V5I	RIC320MN0V2U	RIC320MN0VRS
RIC316MN0FLN	RIC316MN0V5L	RIC320MN0V3I	RIC320MN0VRU
RIC316MN0FLP	RIC316MN0V5N	RIC320MN0V3L	
RIC316MN0FLS	RIC316MN0V5P	RIC320MN0V3N	



Posizione / Position	Descrizione	Description	Codice / Code	Note	Notes	Validità / Validity	S160/30	S160/30AV	S200/30AV	S200/30AV L	S160/30AV L
1	FIANCO DX /30 C.ALL.	FIANCO DX /30 C.ALL.	GRA550000000051	Beige	Beige		1	1	1	1	1
	FIANCO GRIGIO SX /30 C.ALL. MEMBRANA	FIANCO GRIGIO SX /30 C.ALL. MEMBRANA	GRA550000000056	Grigio	Grey	SN ≥J02200338	1	1	1	1	1
2	PORTABIANCH. S160/30	LAUNDRY BASKET	GRA550016000048	Beige	Beige		1	1			1
	PORTABIANCH. S200/30		GRA550020000048						1	1	
	PORTABIANCHERIA GRIGIO S160/30	IRONED LAUNDRY BASKET S160/30	GRA550016000047	Grigio	Grey		1	1			1
	PORTABIANCHERIA GRIGIO S200/30	IRONED LAUNDRY BASKET S200/30	GRA550020000047						1	1	
3	PEDALIERA ALLUMINIO S160/30	PEDALIERA ALLUMINIO S160/30	GRA550016000036				1	1			1
	PEDALIERA ALLUMINIO S200/30	PEDALIERA ALLUMINIO S200/30	GRA550020000036						1	1	
4	SUPP.ASSE IN LEGNO GRIGIO SX-DX	SUPPORT WOODEN BOARD	GRA550000000019	Grigio	Grey		2	2	2	2	2
	SUPP.ASSE IN LEGNO SX-DX		GRA550000000016	Beige	Beige		2	2	2	2	2
5	SPORTELLLO D'EMERGENZA	EMERGENCY DOOR	GRA543014002100				1	1	1	1	1
	SPORTELLLO D'EMERGENZA GRIGIO		GRA543014002101	Grigio	Grey		1	1	1	1	1
6	SERR.P/BOX TRIANGOLO+CHIAVE	LOCK	GRA540601000079				1	1	1	1	1
7	PIOLO PER ASTA SALVADITA	SAFETY ROD STAKE	GRA550000000017				4	4	4	4	4
8	FIANCO DX /30 C.ALL.	FIANCO DX /30 C.ALL.	GRA550000000051	Riscaldamento elettrico	Electric heating		1	1	1	1	1
	FIANCO DX /30 C.ALL. VAPORE	FIANCO DX /30 C.ALL. VAPORE	GRA550000000054	Riscaldamento vapore	Steam heating		1	1	1	1	1
	FIANCO DX /30 C.ALL. VAPORE GRIGIO	FIANCO DX /30 C.ALL. VAPORE GRIGIO	GRA550000000057				1	1	1	1	1
	FIANCO GRIGIO DX /30 C.ALL.	FIANCO GRIGIO DX /30 C.ALL.	GRA550000000055	Riscaldamento elettrico	Electric heating		1	1	1	1	1
9	CHIUSURA INFERIORE DX	LOWER LOCK RIGHT	GRA550000000039				1	1	1	1	1
10	CHIUSURA INFERIORE SX	LOWER LOCK LEFT	GRA550000000041				1	1	1	1	1
11	MANIGLIA IN PL SP. 1.5 X PORTA STIRO	MANIGLIA IN PL SP. 1.5 X PORTA STIRO	GRA540601000200				2	2	2	2	2
12	PORTA DX E SX /30	DOOR	GRA550000000040	Beige	Beige		2	2	2	2	2
	PORTA GRIGIA DX E SX /30		GRA550000000045	Grigio	Grey		2	2	2	2	2
13	INTERRUTTORE SEZ. 3X32A	MAIN SWITCH 3X32A	GRA50-GI-851185	mercato 400-440 V AC	400-440 VAC market		1	1	1	1	1
	INTERRUTTORE SEZ.3X63A	MAIN SWITCH 3X63A	GRA50-GI-851186	mercato 230 V AC	230VAC 3ph market		1	1	1	1	1
14	MANOVRA NERA 60x60 PER 851165-67-85-96	MANOVRA NERA 60x60 PER SEZ. 851185-67	GRA50-GI-851182	mercato 400-440 V AC	400-440 VAC market		1	1	1	1	1


Posizione / Position	Descrizione	Description	Codice / Code	Note	Notes	Validità / Validity	S160/30	S160/30AV	S200/30AV	S200/30AV L	S160/30AV L
	MANOVRA NERA 60x60 X SEZ 851166-69-71-86	BLACK LEVER 60x60 FOR SWITCH 851166-69-71	GRA50-GI-851183	mercato 230 V AC	230VAC 3ph market		1	1	1	1	1
15	CHIUSURA SUPERIORE	UPPER LOCK	GRA550000000038	Beige	Beige		2	2	2	2	2
	CHIUSURA SUPERIORE GRIGIO		GRA550000000044	Grigio	Grey		2	2	2	2	2
16	CARTER GRIGIO INF.POST.CONCA AL.S160	CARTER GRIGIO INF.POST.CONCA AL.S160	GRA550016000056				1	1			1
	CARTER GRIGIO INF.POST.CONCA AL.S200	CARTER GRIGIO INF.POST.CONCA AL.S200	GRA550020000056						1	1	
	CARTER INF.POST.CONCA AL.S160	CARTER INF.POST.CONCA AL.S160	GRA550016000059				1	1			1
	CARTER INF.POST.CONCA AL.S200	CARTER INF.POST.CONCA AL.S200	GRA550020000059	Beige	Beige				1	1	
17	ASSE IN LEGNO S160 L=1670mm	WOODEN BOARD	GRA550016701059				1	1			1
	ASSE IN LEGNO S200 L=2070mm		GRA550020701088						1	1	
18	ASTA SALVADITA S160/30	FINGER SAFETY ROD	GRA550016000083				1	1			1
	ASTA SALVADITA S200/30 vern. ral 3002		GRA550020000083						1	1	
19	CARTER EST.POST.CONCA AL.S160	CARTER EST.POST.CONCA AL.S160	GRA550016000058	Beige	Beige		1	1			1
	CARTER EST.POST.CONCA AL.S200	CARTER EST.POST.CONCA AL.S200	GRA550020000058						1	1	
	CARTER GRIGIO EST.POST.CONCA AL.S160	CARTER GRIGIO EST.POST.CONCA AL.S160	GRA550016000055	Grigio	Grey		1	1			1
	CARTER GRIGIO EST.POST.CONCA AL.S200	CARTER GRIGIO EST.POST.CONCA AL.S200	GRA550020000055						1	1	
20	PROTEZIONE CATENA	PROTECTION CHAIN	GRA550000000095				1	1	1	1	1
21	CARTER INTERNO S160/30 C.ALL.	CARTER INTERNO S160/30 C.ALL.	GRA550016000093				1	1			1
	CARTER INTERNO S200/30 C.ALL.	CARTER INTERNO S200/30 C.ALL.	GRA550020000093						1	1	
22	PASSACAVO D.14/20	PASSACAVO D.14/20	GRA540601000003				4	4	4	4	4
23	MOLLA PEDALE	MOLLA PEDALE	GRA540601000050				3	3	3	3	3
24	PERNO ROTAZIONE PEDALIERA	PERNO ROTAZIONE PEDALIERA	GRA550000000028				2	2	2	2	2
25	BOCCOLA BMF 16/17 SP. 1 mm	BUSH	GRA550000701008				2	2	2	2	2
26	PERNO MICROINTERRUTTORE PEDALIERA	PERNO MICROINTERRUTTORE PEDALIERA	GRA550000000029				2	2	2	2	2

II. FIANCO ASPIRAZIONE E MOVIMENTO CONCA / SUCTION AND BASIN MOVEMENT SIDE



Posizione / Position	Descrizione	Description	Codice / Code	Note	Notes	Validità / Validity	S160/30	S160/30AV	S200/30AV	S200/30AV L	S160/30AV L
27	PIASTRINE AUTOFILETT. 4.2 RPD	PIASTRINE AUTOFILETT. 4.2 RPD	GRA540405000042				8	8	8	8	8
4	SUPP.ASSE IN LEGNO GRIGIO SX-DX	SUPPORT WOODEN BOARD	GRA550000000019	Grigio	Grey		2	2	2	2	2
	SUPP.ASSE IN LEGNO SX- DX		GRA550000000016	Beige	Beige		2	2	2	2	2
7	PIOLO PER ASTA SALVADITA	SAFETY ROD STAKE	GRA550000000017				4	4	4	4	4
8	FIANCO DX /30 C.ALL.	FIANCO DX /30 C.ALL.	GRA550000000051	Riscaldamento elettrico	Electric heating		1	1	1	1	1
	FIANCO DX /30 C.ALL. VAPORE	FIANCO DX /30 C.ALL. VAPORE	GRA550000000054	Riscaldamento vapore	Steam heating		1	1	1	1	1
	FIANCO DX /30 C.ALL. VAPORE GRIGIO	FIANCO DX /30 C.ALL. VAPORE GRIGIO	GRA550000000057				1	1	1	1	1
	FIANCO GRIGIO DX /30 C.ALL.	FIANCO GRIGIO DX /30 C.ALL.	GRA550000000055	Riscaldamento elettrico	Electric heating		1	1	1	1	1
9	CHIUSURA INFERIORE DX	LOWER LOCK RIGHT	GRA550000000039				1	1	1	1	1
22	PASSACAVO D.14/20	PASSACAVO D.14/20	GRA540601000003				4	4	4	4	4
23	MOLLA PEDALE	MOLLA PEDALE	GRA540601000050				3	3	3	3	3
24	PERNO ROTAZIONE PEDALIERA	PERNO ROTAZIONE PEDALIERA	GRA550000000028				2	2	2	2	2
25	BOCCOLA BMF 16/17 SP. 1 mm	BUSH	GRA550000701008				2	2	2	2	2
26	PERNO MICROINTERRUTTORE PEDALIERA	PERNO MICROINTERRUTTORE PEDALIERA	GRA550000000029				2	2	2	2	2
30	SUPP. MOTORE CONCA	SUPPORT BASIN MOTOR	GRA550000000067				1	1	1	1	1
31	STAFFA X MICRO SPORT. EMERG.	SAFETY MICROSWITCH BRACKET	GRA550000000085				1	1	1	1	1
32	ISOLANTE PER MICRO	ISOLANTE PER MICRO	GRA540200502515				5	5	5	5	5
33	MICRO PEDALIERA	PEDAL MICRO SWITCH (**---)	GRA54-GI-651130				4	4	4	4	4
34	TERMOSTATO RIARM.AUT. TF 210° CAP. 1,5M	THERMOSTAT TF 210° CAP. 1,5M	GRA540751000029	Opzionale	Optional		2	2	2	2	2
35	TERMOSTATO SICUREZZA TF 235° CAP. 1,5M	SAFETY THERMOSTAT (*****)	GRA540751000028				2	2	2	2	2
36	PULSANTE EMERGENZA A FUNGO	EMERGENCY SWITCH NC	GRA540751000025				2	2	2	2	2
37	TARGA "EMERGENCY STOP"	LABEL "EMERGENCY STOP"	GRA540751000026				2	2	2	2	2
38	CONTATTO "NC" PER PULS.A FUNGO	CONTATTO "NC" PER PULS.A FUNGO	GRA540751000024				2	2	2	2	2
39	CONTATTO SINGOLO "NC"	CONTATTO SINGOLO "NC"	GRA540751000027	Normalmente chiuso	Normally closed		2	2	2	2	2
40	BOCCOLA FLANGIATA 6x10x14x2x6	BUSH	GRA550000701007				2	2	2	2	2
	FIANCO DX /30 C.ALL.	FIANCO DX /30 C.ALL.	GRA550000000051	Beige	Beige		1	1	1	1	1

III. FIANCO COMANDI E TRAZIONE / COMMAND, CONTROL AND TRACTION SIDE




Posizione / Position	Descrizione	Description	Codice / Code	Note	Notes	Validità / Validity	\$160/30	\$160/30AV	\$200/30AV	\$200/30AV L	\$160/30AV L
1	FIANCO GRIGIO SX /30 C.ALL. MEMBRANA	FIANCO GRIGIO SX /30 C.ALL. MEMBRANA	GRA550000000056	Grigio	Grey	SN ≥J02200338	1	1	1	1	1
4	SUPP.ASSE IN LEGNO GRIGIO SX-DX	SUPPORT WOODEN BOARD	GRA550000000019				2	2	2	2	2
	SUPP.ASSE IN LEGNO SX- DX		GRA550000000016	Beige	Beige		2	2	2	2	2
7	PIOLO PER ASTA SALVADITA	SAFETY ROD STAKE	GRA550000000017				4	4	4	4	4
22	PASSACAVO D.14/20	PASSACAVO D.14/20	GRA540601000003				4	4	4	4	4
23	MOLLA PEDALE	MOLLA PEDALE	GRA540601000050				3	3	3	3	3
24	PERNO ROTAZIONE PEDALIERA	PERNO ROTAZIONE PEDALIERA	GRA550000000028				2	2	2	2	2
25	BOCCOLA BMF 16/17 SP. 1 mm	BUSH	GRA550000701008				2	2	2	2	2
26	PERNO MICROINTERRUTTORE PEDALIERA	PERNO MICROINTERRUTTORE PEDALIERA	GRA550000000029				2	2	2	2	2
32	ISOLANTE PER MICRO	ISOLANTE PER MICRO	GRA540200502515				5	5	5	5	5
33	MICRO PEDALIERA	PEDAL MICRO SWITCH (**---)	GRA54-GI-651130				4	4	4	4	4
34	TERMOSTATO RIARM.AUT. TF 210° CAP. 1,5M	THERMOSTAT TF 210° CAP. 1,5M	GRA540751000029	Opzionale	Optional		2	2	2	2	2
35	TERMOSTATO SICUREZZA TF 235° CAP. 1,5M	SAFETY THERMOSTAT (*****)	GR540751000028				2	2	2	2	2
36	PULSANTE EMERGENZA A FUNGO	EMERGENCY SWITCH NC	GRA540751000025				2	2	2	2	2
37	TARGA "EMERGENCY STOP"	LABEL "EMERGENCY STOP"	GRA540751000026				2	2	2	2	2
38	CONTATTO "NC" PER PULS.A FUNGO	CONTATTO "NC" PER PULS.A FUNGO	GRA540751000024				2	2	2	2	2
39	CONTATTO SINGOLO "NC"	CONTATTO SINGOLO "NC"	GRA540751000027	Normalmente chiuso	Normally closed		2	2	2	2	2
40	BOCCOLA FLANGIATA 6x10x14x2x6	BUSH	GRA550000701007				2	2	2	2	2
45	MEMBRANA S/25 STANDARD IPSO	MEMBRANA S/25 STANDARD IPSO	GRA540601000043	L = 130 mm personalizzato	L = 130 mm custom		1				
	MEMBRANA S/25 V.V.A.	MEMBRANA S/25 V.V.A.	GRA540601000042	L = 130 mm	L = 130 mm			1	1	1	1
	MEMBRANA S/25 V.V.A. IPSO	MEMBRANA S/25 V.V.A. IPSO	GRA540601000044	L = 130 mm personalizzato	L = 130 mm custom			1	1	1	1
	MEMBRANA S/25-30 STD	CONTROL BOARD S/25- 30 STD	GRA540601000041	L = 130 mm	L = 130 mm		1				
	MEMBRANA S/30 STD IPSO-EX CRU.25/30 STD	MEMBRANA S/30 STD IPSO-EX CRU.25/30 STD	GRA540601000026	L = 150 mm personalizzato	L = 150 mm custom		1				
	MEMBRANA S/30 VVA IPSO-EX CRU.25/30 VVA	MEMBRANA S/30 VVA IPSO-EX CRU.25/30 VVA	GRA540601000028					1	1	1	1
	MEMBRANA S/30 VVA- EX CRUSCOTTO25/30 VVA	MEMBRANA S/30 VVA- EX CRUSCOTTO25/30 VVA	GRA540601000020	L = 150 mm	L = 150 mm			1	1	1	1

Posizione / Position	Descrizione	Description	Codice / Code	Note	Notes	Validità / Validity	S160/30	S160/30AV	S200/30AV	S200/30AV L	S160/30AV L
46	SCHEDA COMANDO S/25-30 STD	CONTROL CARD S/25-30 STD	GRA540601000022				1				
	SCHEDA COMANDO S/25-30 VVA	COMMAND CARD	GRA540601000024					1	1	1	1
47	SONDA PT100	DRILL PT100	GRA540751000021				1	1	1	1	1
48	FILTRO EMC FST.20.25.C 20A	FILTER	GRA550751000280			S.N. ≤J0225002605	1	1	1	1	1
49	CATENA COMP. 3/8 770mm x RULLO	CHAIN	GRA550000701064				1	1	1	1	1
50	CORONA 3/8" Z62	CROWN	GRA550000701062				1	1	1	1	1
51	MOT.RULLO 71 3F 0,37KW 4P B14 50HZ	ROLLER MOTOR 71 3F 0,37KW 4P B14 50HZ	GRA550000751051						1	1	1
52	RID.RULLO RMU 50S 1/100 71 B14	REDUCT. GEAR ROLLER	GRA550000751056						1	1	1
53	RID.RULLO RMU 40S 1/100 G 63 B14 AS3403	REDUCTION GEAR BASIN	GRA550751000052				1	1			
54	MOT.+VOL.RULLO 63 3F 0,18KW 4P B14 60Hz	MOTOR COMPLET	GRA540651000051	60 Hz	60 Hz		1				
	MOTORE RULLO 63 3F KW 0,18 4P B14 50Hz	ROLLER MOTOR	GRA550751000050	50 Hz	50 Hz			1			
55	DIST. x MOTORIDUTTORE	MOT. REDUCT. GEAR SPACER	GRA550000000031				1	1	1	1	1
57	PIGNONE 3/8" Z15 60 Hz	PINION	GRA550000701082	60 Hz	60 Hz		1				
	PIGNONE 3/8" Z18		GRA550000701081				1	1	1	1	1
58	LAMPADA SPIA 220V D.10 VIT (F6710)	LAMP SIGNAL SPIA 220V (F6710)	GRA4PR349000032	Opzionale	Optional		2	2	2	2	2
59	SUPP. MOTORE RULLO S160/30	SUPPORT ROLLER MOTOR	GRA550000000068				1	1			
	SUPP. MOTORE RULLO S200/30		GRA550000000069						1	1	1
60	PIASTRA QUADRO ELETT. S/30	CABLING PLATE	GRA550000000080				1	1	1	1	1
61	INVERTER EN 0,2-0,4-Vedi GR540751000043	INVERTER EN 0,2-0,4-Vedi GR540751000043	GRA540751000045			SN ≤ J0225002605		1	1	1	1
62	FILTRO EMC FFR-CS-050-14A-SF1 LL In(><<)>10mA	FILTER EMC FFR-CS-050-14A-SF1 LL In(><<)>10mA	GRA540751000038			SN ≥ J0225002606		1	1	1	1
63	TR.0-230-400-440/16-230V 320VA	TR.0-230-400-440/16-230V 320VA	GRA50-851000284					1	1	1	1
64	RELE' TERMICO LR2K0306-V.T.0,8-1,2 -	THERMAL RELAY LR2K0306-V.T.0,8-1,2 -	GRA50-851000265			220 -> 230/3ph VAC	1	1	1	1	1
	RELE' TERMICO LR2K0307 VT 1.2-1.8A - 070A	THERMAL RELAY LR2K0307 VT 1.2-1.8A - 070A	GRA50-8510002654			380 -> 440/3ph VAC	2	2	2	2	2
						220 -> 230/3ph VAC	1	1	1	1	1
						220 -> 230/3ph VAC 60Hz	2	2	2	2	2
65	TR.0-230-400-440/0-16-230V50VA	TR.0-230-400-440/0-16-230V50VA	GRA50-851000283				1				
66	CONTATTORE KW 11 230V	CONTACTOR 220V KW 11	GRA50-851000242	220 -> 230/3ph VAC	220 -> 230/3ph VAC		1	1	2	2	1
	CONTATTORE KW 7,5 230V	CONTACTOR 220V KW7.5	GRA50-851000249	380 -> 440/3ph VAC	380 -> 440/3ph VAC		1	1	1	1	1

Posizione / Position	Descrizione	Description	Codice / Code	Note	Notes	Validità / Validity	S160/30	S160/30AV	S200/30AV	S200/30AV L	S160/30AV L
67	INV.FR-D720S-014-EC 0,18KW S/25/ S160-AV	INV.FR-D720S-014-EC 0,18KW S/25/ S160-AV	GRA5407510000420				1	1			
	INV.FR-D720S-014EC 0,37K S160AVL S200	INV.FR-D720S-014EC 0,37K S160AVL S200	GRA5407510000421						1	1	1
68	MINI CONTATTORE KW 4 230V (NC)	MINI CONTACTOR KW4 230V	GRA50-851000262	MC1A301AT6 o LC1K0901P7	MC1A301AT6 or LC1K0901P7		4	4	4	4	4
69	PORTAFUSIBILE 10X38 32A	FUSE HOLDER 10X38 32A	GRA50-GI-851121	220 -> 230 VAC	220 -> 230 VAC		2	2	2	2	2
				400 -> 440 VAC	400 -> 440 VAC		5	5	5	5	5
	PORTAFUSIBILE 3X40A	PORTAFUSIBILE 3X40A	GRA50-GI-851122	220 -> 230 VAC	220 -> 230 VAC		1	1	1	1	1
70	FUSIBILE 10,3X38 10A	FUSE 10,3X38 10A	GRA999997000100	400 VAC con riscaldamento vapore	400 VAC WITH steam heated			3	3	3	3
				400 VAC	400 VAC		3				
	FUSIBILE 10,3X38 25A	FUSE 10,3X38 25A	GRA999997000250	400 VAC riscaldamento < 17 kW	400 VAC heating power < 17 kW			3	3	3	3
	FUSIBILE 10,3X38 2A	FUSE 10,3X38 2A	GRA999997000020	230 VAC	230 VAC		2				
				400 VAC	400 VAC		2				
	FUSIBILE 10,3X38 32A	FUSIBILE 10,3X38 32A	GRA999997000320	400 VAC riscaldamento 19,2 kW	400 VAC heating power 19,2 kW				3	3	
	FUSIBILE 10,3X38 4A	FUSE 10,3X38 4A	GRA999997000040	230 VAC	230 VAC			2	2	2	2
				400 VAC con riscaldamento vapore	400 VAC WITH steam heated			2	2	2	2
				400 VAC riscaldamento < 17 kW	400 VAC heating power < 17 kW			2	2	2	2
				400 VAC riscaldamento 19,2 kW	400 VAC heating power 19,2 kW				2	2	
	FUSIBILE 14 X 51 40A	FUSIBILE 14 X 51 40A	GRA999997000400	230 VAC	230 VAC		3	3	3	3	3
71	RULLO COMPLETO S160/30(v.GR806060100 001)	COMPLET ROLLER WITH SHAFT	GRA550016000043				1	1			1
	RULLO COMPLETO S200/30(v.GR806060100 002)		GRA550020000043						1	1	


IV. MOVIMENTO CONCA / BASIN MOVEMENT



Posizione / Position	Descrizione	Description	Codice / Code	Note	Notes	Validità / Validity	S160/30	S160/30AV	S200/30AV	S200/30AV L	S160/30AV L
32	ISOLANTE PER MICRO	ISOLANTE PER MICRO	GRA540200502515				5	5	5	5	5
33	MICRO PEDALIERA	PEDAL MICRO SWITCH (**---)	GRA54-GI-651130				4	4	4	4	4
75	CONCA IN ALL.S160/30 ARC25C33	BASIN	GRA550016000065				1	1			1
	CONCA IN ALL.S200/30 ARC25C33		GRA550020000065						1	1	
76	PERNO SOSTEGNO CONCA	CENTRAL PIVOT	GRA550000000026				2	2	2	2	2
78	SUPPORTO DX CONCA ALLUMINIO	SUPPORTO DX CONCA ALLUMINIO	GRA550000000062				1	1	1	1	1
79	VITE DI REGOLAZIONE CONCA	VITE DI REGOLAZIONE CONCA	GRA550000000013				2	2	2	2	2
80	BOCCOLA BRONZO 20x25x20	BUSH	GRA550000701013	20 x 25 x 20	20 x 25 x 20		8	8	8	8	8
81	PERNO SUP.MOVIMENTO CENTRALE	PERNO SUP.MOVIMENTO CENTRALE	GRA550000000027				2	2	2	2	2
82	STAFFA FINECORSO SUPERIORE	LEFT LIMIT BRACKET	GRA550000000020				1	1	1	1	1
84	SUPP.MOVIM.BRACCI ASS.TO SX	SUPPORT	GRA550000000043				1	1	1	1	1
85	DISTANZIALE PER LEVA DX SX	DISTANZIALE PER LEVA DX SX	GRA550000000007			SN≥J0225000947	2	2	2	2	2
86	SEMIBIELLA POSTERIORE RITORNO CONCA	SEMIBIELLA POSTERIORE RITORNO CONCA	GRA550000000110			SN≥J0225000947	2	2	2	2	2
87	SEMIBIELLA ANTERIORE RITORNO CONCA	SEMIBIELLA ANTERIORE RITORNO CONCA	GRA550000000105			SN≥J0225000947	2	2	2	2	2
88	MOLLA A GAS 900N	GAS SPRING 900N	GRA550000701070			SN≤J0225000946	2	2	2	2	2
	MOLLA A GAS 750N S/30	MOLLA A GAS 750N S/30	GRA550000701069			SN≥J0225000947	2	2	2	2	2
89	FISS. EL.UNI 7064 ø 25 vedi 550000000003	FISSATORE ELASTICO UNI 7604 ø 25 mm	GRA540405000028			SN≤J0225001450	4	4	4	4	4
90	SEEGER UNI 7435 C 60 DIAM. 15	SEEGER UNI 7435 C 60 DIAM. 15	GRA540405000015			SN≥J0225001451	4	4	4	4	4
91	RONDELLA CONTENIMENTO BIELLA	RONDELLA CONTENIMENTO BIELLA	GRA550000000003			SN≥J0225001451	4	4	4	4	4
92	PERNO FISSAGGIO MOLLA A GAS	PERNO FISSAGGIO MOLLA A GAS	GRA550000000006			SN≥J0225000947	4	4	4	4	4
93	RONDELLA CONTENIMENTO CAMME		GRA550000000004			SN≥J0225000947	1	1	1	1	1
94	SEEGER UNI 7435 C 60 DIAM. 25	SEEGER UNI 7435 C 60 DIAM. 25	GRA540405000025			SN≥J0225000947	1	1	1	1	1
95	CAMME MOVIMENTO CONCA	CAMME MOVIMENTO CONCA	GRA550000000005			SN≥J0225000947	1	1	1	1	1
96	LINGUETTA UNI 6604/A 8x7x20	LINGUETTA UNI 6604/A 8x7x20	GRA540405007820				1	1	1	1	1


Posizione / Position	Descrizione	Description	Codice / Code	Note	Notes	Validità / Validity	S160/30	S160/30AV	S200/30AV	S200/30AV L	S160/30AV L
99	ALBERO MOVIM. CONCA S200	WOODEN BOARD	GRA550020000033			SN≤J0225000946			1	1	
	ALBERO MOVIM. CONCA S160	SHAFT MOUV. BASIN	GRA550016000033			SN≤J0225000946	1	1			1
	ALBERO MOVIM. CONCA S160 CAMME		GRA550016000034			SN≥J0225000947	1	1			1
	ALBERO MOVIM. CONCA S200 CAMME		GRA550020000034			SN≥J0225000947			1	1	
100	CUSCINETTI FLANG. SB205+BPFL	BEARING	GRA550000701072				2	2	2	2	2
102	STAFFA SUPP. MOLLA A GAS	GAS SPRING SUPPORT BRACKET	GRA550000000023			SN≤J0225000946	1	1	1	1	1
109	STAFFA SUPPORTO MICRO CONCA	SAFETY MICROSWITCH BRACKET	GRA550000000089			SN≥J0225000947	1	1	1	1	1
111	MICRO DEPRESSIONE	DEPRESSION MICRO-SWITCH ØDQT	GRA50-GI-951021				2	2	2	2	2
112	ANCORETTA FINECORSIA	MICROSWITCH BRACKET	GRA550000000066			SN≤J0225000946	1	1	1	1	1
113	SUPP. MICRO SALVADITA X ALL.	SUPP. MICRO SALVADITA X ALL.	GRA543014002601			SN≤J0225000946	1	1	1	1	1
114	STAFFA SUPP. MICRO Q. ELET.	MICROSWITCH BRACKET	GRA550000000082			SN≤J0225000946	1	1	1	1	1
131	LEVA MOVIMENTO SX CONCA ALL.	LEVA MOVIMENTO SX CONCA ALL.	GRA550000000009				1	1	1	1	1

V. RINVIO CONCA / BASIN MECHANICAL TRANSMISSION




Posizione / Position	Descrizione	Description	Codice / Code	Note	Notes	Validità / Validity	S160/30	S160/30AV	S200/30AV	S200/30AV L	S160/30AV L
20	PROTEZIONE CATENA	PROTECTION CHAIN	GRA550000000095				1	1	1	1	1
76	PERNO SOSTEGNO CONCA	CENTRAL PIVOT	GRA550000000026				2	2	2	2	2
77	SUPPORTO SX CONCA ALLUMINIO	SUPPORTO SX CONCA ALLUMINIO	GRA550000000063	Riscaldamento elettrico	Electric heating		1	1	1	1	1
79	VITE DI REGOLAZIONE CONCA	VITE DI REGOLAZIONE CONCA	GRA550000000013				2	2	2	2	2
80	BOCCOLA BRONZO 20x25x20	BUSH	GRA550000701013	20 x 25 x 20	20 x 25 x 20		8	8	8	8	8
81	PERNO SUP.MOVIMENTO CENTRALE	PERNO SUP.MOVIMENTO CENTRALE	GRA550000000027				2	2	2	2	2
83	SUPP.MOVIM.BRACCI ASS.TO DX	SUPPORT	GRA550000000042	Riscaldamento elettrico	Electric heating		1	1	1	1	1
85	DISTANZIALE PER LEVA DX SX	DISTANZIALE PER LEVA DX SX	GRA550000000007			SN≥J0225000947	2	2	2	2	2
86	SEMIBIELLA POSTERIORE RITORNO CONCA	SEMIBIELLA POSTERIORE RITORNO CONCA	GRA550000000110			SN≥J0225000947	2	2	2	2	2
87	SEMIBIELLA ANTERIORE RITORNO CONCA	SEMIBIELLA ANTERIORE RITORNO CONCA	GRA550000000105			SN≥J0225000947	2	2	2	2	2
88	MOLLA A GAS 900N	GAS SPRING 900N	GRA550000701070			SN≤J0225000946	2	2	2	2	2
	MOLLA A GAS 750N S/30	MOLLA A GAS 750N S/30	GRA550000701069			SN≥J0225000947	2	2	2	2	2
89	FISS. EL.UNI 7064 ø 25 vedi 550000000003	FISSATORE ELASTICO UNI 7604 ø 25 mm	GRA540405000028			SN≤J0225001450	4	4	4	4	4
90	SEEGER UNI 7435 C 60 DIAM. 15	SEEGER UNI 7435 C 60 DIAM. 15	GRA540405000015			SN≥J0225001451	4	4	4	4	4
91	RONDELLA CONTENIMENTO BIELLA	RONDELLA CONTENIMENTO BIELLA	GRA550000000003			SN≥J0225001451	4	4	4	4	4
92	PERNO FISSAGGIO MOLLA A GAS	PERNO FISSAGGIO MOLLA A GAS	GR550000000006			SN≥J0225000947	4	4	4	4	4
97	LINGUETTA UNI 6604/A 8x7x40	KEY UNI 6604/A 8x7x40	GRA540405007840				1	1	1	1	1
98	CORONA 3/8" Z54	CROWN	GRA550000701063			SN≤J0225000946	1	1	1	1	1
	PIGNONE 3/8" Z40 PER MOVIMENTO CONCA	PINION 3/8" Z40	GRA550000701061			SN≥J0225000947	1	1	1	1	1
99	ALBERO MOVIM. CONCA S200	WOODEN BOARD	GRA550020000033			SN≤J0225000946			1	1	
	ALBERO MOVIM. CONCA S160	SHAFT MOUV. BASIN	GRA550016000033			SN≤J0225000946	1	1			1
	ALBERO MOVIM. CONCA S160 CAMME		GRA550016000034			SN≥J0225000947	1	1			1
	ALBERO MOVIM. CONCA S200 CAMME		GRA550020000034			SN≥J0225000947			1	1	
100	CUSCINETTI FLANG. SB205+BPFL	BEARING	GRA550000701072				2	2	2	2	2

Posizione / Position	Descrizione	Description	Codice / Code	Note	Notes	Validità / Validity	S160/30	S160/30AV	S200/30AV	S200/30AV L	S160/30AV L
101	SUPP.MOLLA A GAS LATO ASP.	SUPP.MOLLA A GAS LATO ASP.	GRA550000000030			SN≤J0225000946	1	1	1	1	1
103	CATENA ASS.TA 730mm 3/8"	CHAIN	GRA543014000300			SN≤J0225000946	1	1	1	1	1
	CATENA COMP. 3/8 721mm CONCA - MOV.CAMME		GRA550000701065			SN≥J0225000947	1	1	1	1	1
104	PIGNONE 3/8" Z16 50 HZ	PINION	GRA543014000500				1	1	1	1	1
105	LINGUETTA UNI 6604/A DIM. 6 x 6 x 20	LINGUETTA UNI 6604/A DIM. 6 x 6 x 20	GRA540405006620				1	1	1	1	1
106	DISTANZIALE MOVIMENTO CONCA	SPACER MOUV. BASIN	GRA550000000022				1	1	1	1	1
107	RID.CONCA RMU 40D 1/100 G 63 B14 AS1332	REDUCT. GEAR ROLLER	GRA550000751052	RMI 40 D 1/100	RMI 40 D 1/100		1	1	1	1	1
108	MOT.+VOL.RULLO 63 3F 0,18KW 50HZ I-070A	MOTOR COMPLET	GRA540651000050				1	1	1	1	1
130	LEVA MOVIMENTO DX CONCA ALL.	LEVA MOVIMENTO DX CONCA ALL.	GRA550000000008				1	1	1	1	1
132	VITE OTT.TC UM 6107 M6x50	VITE OTT.TC UM 6107 M6x50	GRA540401300650			SN≤J0225000946	1	1	1	1	1




Posizione / Position	Descrizione	Description	Codice / Code	Note	Notes	Validità / Validity	S160/30	S160/30AV	S200/30AV	S200/30AV L	S160/30AV L
21	CARTER INTERNO S160/30 C.ALL.	CARTER INTERNO S160/30 C.ALL.	GRA550016000093				1	1			1
	CARTER INTERNO S200/30 C.ALL.	CARTER INTERNO S200/30 C.ALL.	GRA550020000093						1	1	
34	TERMOSTATO RIARM.AUT. TF 210° CAP. 1,5M	THERMOSTAT TF 210° CAP. 1,5M	GRA540751000029	Opzionale	Optional		2	2	2	2	2
35	TERMOSTATO SICUREZZA TF 235° CAP. 1,5M	SAFETY THERMOSTAT (*****)	GRA540751000028				2	2	2	2	2
47	SONDA PT100	DRILL PT100	GRA540751000021				1	1	1	1	1
75	CONCA IN ALL.S160/30 ARC25C33	BASIN	GRA550016000065				1	1			1
	CONCA IN ALL.S200/30 ARC25C33		GRA550020000065						1	1	
120	RESISTENZA 2200W 230V S160/30	HEATER 1900W 230V S160	GRA550751000012				6	6			6
	RESISTENZA 2800W 230V S200/30	HEATER 2400W 230V S200	GRA550751000013						6	6	
	RESISTENZA 3200W 230V S200/30		GRA550751000014	Opzionale	Optional				6	6	
121	MOLLA FISSAGGIO RESISTENZA S/30	MOLLA FISSAGGIO RESISTENZA S/30	GRA550000000098				14	14	18	18	14
122	SERPENTINA VAPORE IN RAME S160	SERPENTINA VAPORE IN RAME S160	GRA5500160000200				1	1			1
	SERPENTINA VAPORE IN RAME S200	SERPENTINA VAPORE IN RAME S200	GRA5500200000200						1	1	
123	ISOLANTE INSULFRAX S160/30	ISOLANTE INSULFRAX S160/30	GRA540205001440		500x1440x25		1	1			1
	ISOLANTE INSULFRAX S200/30	ISOLANTE INSULFRAX S200/30	GRA540205001840	500x1840x25	500x1840x25				1	1	
124	RACCORDO DIRITTO F D 14-1/2"	RACCORDO DIRITTO F D 14-1/2"	GRA50-801000129	Riscaldamento vapore	Steam heating		2	2	2	2	2
125	TUBO PFTE CORRUGATO X VAP.3/4" CON RACCORDI PIANI	STEAM SUPPLY PIPE INOX 3/4" L=600mm RACCORDI PIANI	GRA50-GI-801111				2	2	2	2	2
126	RONDELLA TEFLON 23,5x14x4 mm	RONDELLA TEFLON 23,5x14x4 mm	GRA540404001425				2	2	2	2	2
127	STAFFA SUPP. VALVOLA 3/4" ZINC	VALVE HOLDER NIPPLE3/4"(--DV-)	GRA50-GI-801028				2	2	2	2	2
128	GOMITO ZINCATO 3/4" 90GR. FF	ZINCED ANGLE 3/4" 90GR. FF	GRA50-801000080				2	2	2	2	2
129	FASCETTA 78-98	FASCETTA 78-98	GRA50-801000085				2	2	2	2	2



Posizione / Position	Descrizione	Description	Codice / Code	Note	Notes	Validità / Validity	S160/30	S160/30AV	S200/30AV	S200/30AV L	S160/30AV L
4	SUPP.ASSE IN LEGNO GRIGIO SX-DX	SUPPORT WOODEN BOARD	GRA550000000019	Grigio	Grey		2	2	2	2	2
	SUPP.ASSE IN LEGNO SX-DX		GRA550000000016	Beige	Beige		2	2	2	2	2
17	ASSE IN LEGNO S160 L=1670mm	WOODEN BOARD	GRA550016701059				1	1			1
	ASSE IN LEGNO S200 L=2070mm		GRA550020701088						1	1	
71	RULLO COMPLETO S160/30(v.GR806060100001)	COMPLET ROLLER WITH SHAFT	GRA550016000043				1	1			1
	RULLO COMPLETO S200/30(v.GR806060100002)		GRA550020000043						1	1	
148	MOLLA IN FILO STACCABIAN. SP.1,5 mm(old)	MOLLA IN FILO STACCABIAN. SP.1,5 mm(old)	GRA5500000000100			SN<J0235000648	11	11	14	14	11
	MOLLA STACCA BIANCHERIA S-25-30 2° SERIE	S-25-30 WHEEL SPRING SPRING 2-SERIES	GRA5500000000101			SN≥J0235000648	17	17	21	21	17
149	ASTA INOX STACCABIANCHERIA S160/30 1°SER	ASTA INOX STACCABIANCHERIA S160/30 1°SER	GRA5500160000100			SN<J0235000648	1	1			1
	ASTA INOX STACCABIANCHERIA S160/30 2°SER	ASTA INOX STACCABIANCHERIA S160/30 2°SER	GRA5500160000101			SN≥J0235000648	1	1			1
	ASTA INOX STACCABIANCHERIA S200/30 1°SER	ASTA INOX STACCABIANCHERIA S200/30 1°SER	GRA5500200000100			SN<J0235000648			1	1	
	ASTA INOX STACCABIANCHERIA S200/30 2°SER	ASTA INOX STACCABIANCHERIA S200/30 2°SER	GRA5500200000101			SN≥J0235000648			1	1	
150	LANA ACCIAIO	IRON WHOOL	GRA53-GI-100011				5	5	8		
151	TELO JUTA S160/30	JUTA SHEET (---*)	GRA54-GI-701015				1				
152	MOLLETTONE S160/30	THICK FLANNEL LAYER (---*)	GRA54-GI-701016				1	1			
	MOLLETTONE S200/30	THICK FLANNEL LAYER (----*)	GRA54-GI-701019						1		
153	TELO NOMEX S200/30	NOMEX SHEETS	GRA54-GI-701038						1		
	TELO S160/30	COTTON SHEET (---*)	GRA54-GI-701017				1	1			
	TELO S200/30	COTTON SHEET (----*)	GRA54-GI-701020						1		
154	RETE METALLICA	STEEL NET	GRA540100000500	1 unità = 1 metro	1pc = 1 metre			5	6		
155	MOLLETTONE NOMEX S200/30	NOMEX FLANNEL LAYER	GRA54-GI-701040							1	
	MOLLETTONE NOMEX S160/30		GRA54-GI-701039								1
156	MOLLE MAX PRESS H = 10 mm	MOLLE MAX PRESS H = 10 mm	GRA53-GI-100015							79	63

VIII. FISSAGGIO RULLO E ASPIRAZIONE / ROLLER FIXING AND SUCTION



Posizione / Position	Descrizione	Description	Codice / Code	Note	Notes	Validità / Validity	S160/30	S160/30AV	S200/30AV	S200/30AV L	S160/30AV L
50	CORONA 3/8" Z62	CROWN	GRA550000701062				1	1	1	1	1
71	RULLO COMPLETO S160/30(v.GR806060100 001)	COMPLET ROLLER WITH SHAFT	GRA550016000043				1	1			1
	RULLO COMPLETO S200/30(v.GR806060100 002)		GRA550020000043						1	1	
141	FLANGIA SUPP. RULLO LATO ASP.	ROLLER BEAR. FLANGE	GRA550000000024				1	1	1	1	1
142	FLANGIA SUPP. RULLO ESTERNA /30	ROLLER BEAR. FLANGE /30	GRA550000000032				2	2	2	2	2
143	TAPPO CHIUSURA RULLO	TAPPO CHIUSURA RULLO	GRA550000000047				1	1	1	1	1
145	TUBO ASPIRAZIONE Diam.57mm	SUCTION PIPE	GRA550000701014	1 unità = 1 metro	1pc = 1 metre		1	1	1	1	1
146	ASPIRATORE /30	AIR EXTRACTOR /30	GRA550000751055				1	1	1	1	1
147	MOTORE ASP. 56 3F 0,12KW 2PB5 50-60Hz	SUCTION MOTOR /30	GRA550000751054				1	1	1	1	1
157	VITE ZN 8,8 TE UNI 5739 M8x25	SCREW ZN 8,8 TE UNI 5739 M8x25	GRA540401100825			SN≥J0235000961	8	8			8
158	ROND. Zn PIANA UNI 6592 M8	WASHER Zn FLAT UNI 6592 M8	GRA540404101008			SN≥J0235001001			8	8	
						SN≥J0235000961	16	16			16
159	DADO RIBASSATO ZN UNI 985 AUTOB. M8	LOWED NUT ZN UNI 985 LOCKING M8	GRA540402101008			SN≥J0235001001			16	16	
						SN≥J0235000961	8	8			8
160	ASSIEME CUSCIN.NEW+BOCC.	ASSEMBLY BEARING NEW+ BUSH LEFT SIDE	GRA806100100011			SN≥J0235001001			8	8	
						SN≥J0235000961	1	1			1
161	ASSIEME CUSCIN.NEW+BOCC.	ASSEMBLY BEARING NEW + BUSH RIGHT SIDE	GRA806100100012			SN≥J0235001001			1	1	
						SN≥J0235000961	1	1			1
162	DADO ZN UNI 7473 AUTOBL. M8	DADO ZN UNI 7473 AUTOBL. M8	GRA540402000008			SN≥J0235001001			1	1	
						SN≥J0235000961	3	3			3
164	VITE TCEI ZN 12.9 ISO 7379 M8 10x55	VITE TCEI ZN 12.9 ISO 7379 M8 10x55	GRA540401001055			SN≥J0235001001			3	3	
						SN≥J0235000961	3	3			3
165	BOCCAGLIO SCARICO VAPORI	BOCCAGLIO SCARICO VAPORI	GRA560000000130			SN≥J0235001001			3	3	
						SN≥J0235000961	1	1			1
166	VITE ZN 4.6TTQSTUNI 5732 M6x16	VITE ZN 4.6TTQSTUNI 5732 M6x16	GRA540401000616			SN≥J0235001001			1	1	
						SN≥J0235000961	4	4			4
167	DADO ZN UNI 982 AUTOBL. M6	DADO ZN UNI 982 AUTOBL. M6	GRA540402000006			SN≥J0235001001			4	4	
						SN≥J0235000961	4	4			4
						SN≥J0235001001			4	4	

INDICE DELLE REVISIONI - INDEX OF REVISIONS

Versione - Version	Revisione - Revision	Data - Date
2	1	10 / 2020